





DESIGN MEETS FUNCTION

M CEBERIT

WHERE TWO WORLDS CONNECT

When you trigger an actuator plate you push the point where design meets function. Behind every Geberit actuator plate you find a Geberit concealed cistern. Find out more about their fields of application, advantages and technical details.



00





ACTUATOR PLATES

CONCEALED CISTERNS GEBERIT SIGMA

CONTENT

GEBERIT ACTUATOR PLATES OVERVIEW

What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several time a day. Find the applications and an overview.

INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS

GEBERIT SIGMA CISTERNS

Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom

GEBERIT OMEGA CISTERNS

Geberit Omega cisterns offer solutions for low height applications.

GEBERIT ALPHA CISTERNS Geberit Alpha cisterns are the latest members of the family.

THE PERFECT MATCH

TECHNICAL INFORMATION

OVERVIEW OF ALL CISTERNS



GEBERIT OMEGA

GEBERIT ALPHA

GEBERIT ACTUATORS FOR EVERY APPLICATION TRIGGER POINTS

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semipublic place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.




FEEL AT HOME

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, aspects of hygienic requirements are depending on your needs and bathroom covered. design.



SEMI-PUBLIC SOLUTIONS

For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all





HIGH-TRAFFIC PUBLIC PLACES If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.



SIGMA01 Dual flush

white alpine

• 246 mm x 164 mm

00

→ 115.770.11.5 (plastic)

→ 115.770.21.5 (plastic)

bright chrome-plated

→ 115.770.KA.5 (plastic)

bright chrome/matt chrome

→ 115.770.DW.5 (plastic)

→ 115.770.DT.5 (plastic)

special brass (colour)

→ 115.770.JQ.5 (plastic)

→ 115.770.LA.5 (plastic)

white/yellow/green

→ 115.770.LB.5 (plastic)

white/blue/red

МАМВО

Stop-and-go flush

• 246 mm x 164 mm

 \sim

→ 115.751.00.1 *

stainless steel brushed

(stainless steel)

6

matt chrome***

black

SIGMA10

 Stop-and-go flush • 246 mm x 164 mm

→ 115.758.KJ.5 (plastic)

white/bright chrome

→ 115.758.JT.5 (plastic)

→ 115.758.KK.5 (plastic)

 \rightarrow 115.758.01.5 (plastic)

→ 115.758.KH.5 (plastic)

→ 115.758.JQ.5 (plastic)

→ 115.758.SN.5

→ 115.787.SN.5 *

(stainless steel)

polished

stainless steel brushed/

→ 115.758.16.5 (plastic)

→ 115.758.KM.5 (plastic)

black/bright chrome

→ 115.758.14.5 (plastic)

black matt/bright chrome***

Learn more about the Geberit product

→ www.geberit-global.com/showroom

range and visit our actuator plate

configurator at

black matt/black

matt chrome/bright chrome***

bright chrome/matt chrome

white matt

white/gold-plated

white matt/bright chrome***

→ 115.890.SN.6 **

(stainless steel)

→ 115.890.DW.6*

(stainless steel)

with manual override

black/matt black²

polished ²

with manual override ¹

stainless steel brushed

SIGMA10 IR 12 · Touchless, electronic 246 mm x 164 mm

white/bright chrome ²

→ 115.907.KK.6 (plastic)

white/gold-plated ²

→ 115.907.KL.6 (plastic)

 \rightarrow 115.907.KH.6 (plastic)

→ 115.907.JQ.6 (plastic)

→ 115.907.KM.6 (plastic)

 \rightarrow 115.907.SN.6 (stainless steel)

stainless steel brushed/

black/bright chrome ²

•

polished²

→ 115.863.16.6 *

(stainless steel)

black matt/black *** ²

black/matt black²

with battery operation

→ 115 906 DW 6 * (stainless steel)

→ 115.907.DW.6 (stainless steel)

bright chrome *** ²

bright chrome/matt chrome ²

white/matt chrome⁴

0

matt chrome/

→ 115.907.KJ.6 (plastic)

00

 $\bigcirc \bigcirc$

 $\bigcirc \bigcirc$

→ 115.882.KK.1 (plastic)

→ 115.882.KH.1 (plastic)

→ 115.882.JQ.1 (plastic)

→ 115.882.KM.1 (plastic)

 \rightarrow 115.882.14.1 (plastic)

→ 115.882.SN.1 (stainless steel)

→ 115.889.SN.1 * (stainless steel)

stainless steel brushed/

→ 115.882.11.1 (plastic)

→ 115.882.01.1 (plastic)

→ 115.882.DW.1 (plastic)

→ 115.882.16.1 (plastic)

black matt/black***

¹ The electronic actuator plates are usually also available

² The displayed electronic actuator plates are for 12cm

cisterns. They are also available for 8cm cisterns.

black/matt black

white matt/white***

white/white matt

polished

→ 115.906.SN.6 * (stainless steel) black matt/bright chrome***

black/bright chrome

matt chr/bright chrome***

)(

bright chrome/matt chrome

white/gold-plated

→ 115.882.KJ.1 (plastic)

white/bright chrome

→ 115.882.JT.1 (plastic)

white matt/bright chrome**

SIGMA20 Dual flush • 246 mm x 164 mm SIGMA21 Dual flush

246 mm x 164 mm

00

→ 115.884.JV.1 (concrete)

→ 115.884.JX.1 (wood)

→ 115.884.JM.1 (slate)

Mustang slate

 $\mathbf{\nabla}$

black

SIGMA30

Dual flush

246 mm x 164 mm

 \rightarrow 115.883.KJ.1 (plastic)

→ 115.883.JT.1 (plastic)

→ 115.883.KK.1 (plastic)

white/gold-plated

→ 115.883.11.1 (plastic)

→ 115.883.01.1 (plastic)

white matt/white ***

white/white matt

white matt/bright chrome***

white/bright chrome

 \rightarrow 115.884.SJ.1 (glass)

customisable surface

white

concrete

black walnut

00

→ 115.650.SI.1 (glass)

→ 115.884.SI.1 (glass)

red gold/white



→ 115.650.JV.1 (concrete)

red gold/concrete****

→ 115.650.JX.1 (wood)

red gold/black walnut***

00 → 115.651.SI.1 (glass) black chrome/white

00



→ 115.651.JX.1 (wood) black chrome/black walnut****



black chrome/Mustang

→ 115.650. JM.1 (slate) red gold/Mustang slate****

→ 115.650.SJ.1 (glass)

red gold/black



→ 115.651.SJ.1 (glass) black chr/black



 \rightarrow 115.884.00.1 (die-cast zinc) \rightarrow 115.650.00.1 (die-cast zinc) red gold/customisable surface → 115.651.00.1 (die-cast zinc)

black chr/customisable surface



 \rightarrow 115.883.KM.1 (plastic) black/bright chrome

	100	11	63	
- 84				
- 84				

→ 115.883.JQ.1 (plastic)

→ 115.883.14.1 (plastic)

black matt/bright chrome ***

→ 115.883.DW.1 (plastic)

→ 115.883.16.1 (plastic)

black/black matt ***

black/black gloss

→ 115.883.KH.1 (plastic)

bright chrome/matt chrome





 $\bigcirc \bigcirc$



() ()

sand grey

lava

 \rightarrow 115.884.JL.1 (glass)

→ 115.652.JV.1 (concrete) brass/concrete****



→ 115.652.JX.1 (wood) brass/black walnut***



→ 115.652.JM.1 (slate) brass/Mustang slate****



→ 115.652.SJ.1 (glass) brass/black



→ 115.652.00.1 (die-cast zinc brass/customisable surface

SIGMA30 Stop-and-go flush







 \rightarrow 115.893.KJ.1* (die-cast zinc) \rightarrow 115.893.45.1* (die-cast zinc) white/bright chrome



gold-plated



 \rightarrow 115.893.JT.1* (die-cast zinc) \rightarrow 115.893.14.1* (die-cast zinc) matt chrome/bright chrome*** white matt/bright chrome *** black matt/bright chrome ***



→ 115.893.KX.1* (die-cast zinc) chrome brushed/bright



→ 115.893.KY.1* (die-cast zinc) bright chrome/chrome brushed



SIGMA50 Dual flush 246 mm x 164 mm



 \rightarrow 115.788.21.2 (brass) chrome/bright chrome

→ 115.788.GH.2 (brass)

→ 115.788.SD.2 (glass)

chrome/smoked glass

→ 115.788.JK.2 (glass)

→ 115.788.JL.2 (glass)

chrome/sand grey

SIGMA60

Dual flush

→ 115 640 SI 1

white glass

→ 115.640.JL.1

→ 115.640.JK.1

→ 115.640.SJ.1

black glass

→ 115.640.GH.1

(die-cast zinc)

brushed chrome

(die-cast zinc, glass)

lava

(die-cast zinc, glass)

sand grey

(die-cast zinc, glass)

(die-cast zinc, glass)

• 221 mm x 139 mm

Even with the surface

chrome/lava

Manager 1

reflective

chrome/brushed chrome







→ 115.788.JV.2 (concrete)

chrome/concrete****

→ 115.788.JX.2 (wood)

chrome/black

S Ja

Manual Voters

SIGMA70

250 mm x 145 mm

→ 115.622.Sl.1 (glass)

→ 115.622.JL.1 (glass)

NEW

white glass

white matt

sand grey

brushed chrome

Dual flush

→ 115.788, JM.2 (slate)

chrome/Mustang slate ****

 \rightarrow 115.788.DW.2 (plastic)

→ 115.788.00.2 (die-cast zinc) → 115.670.00.2

chrome/customisable surface (die-cast zinc, plastic)

chrome/black walnut ****





red gold/white



→ 115.670.JV.2 (concrete)

red gold/concrete****

→ 115.670.JX.2 (wood)

→ 115.670.JM.2 (slate)

2 2

red gold/black

→ 115.670.DW.2 (plastic)

red gold/customisable surface

→ 115.670.QB.2 (die-cast zinc)

red gold/red gold brushed

 \rightarrow 115.622.SJ.1 (glass)

 \rightarrow 115.622.JT.1 (stainless steel) \rightarrow 115.622.14.1 (stainless steel) \rightarrow 115.622.QF.1 (stainless steel)

black glass

black matt

lava

black chrome

→ 115.622.FW.1 (stainless steel) → 115.622.QD.1 (stainless steel)

→ 115.622.JK.1 (glass)

red gold/Mustang slate ****





 \rightarrow 115.671.11.2 (plastic) black chrome/white







→ 115.672.11.2 (plastic)

→ 115.672.JV.2 (concrete)

brass/concrete****

→ 115.672.JX.2 (wood)

→ 115.672.JM.2 (slate)

brass/black

 \rightarrow 115 672 00 2

(die-cast zinc, plastic)

brass/brass brushed

SIGMA80²

electronic

Illuminated

Dual flush, touchless,

• 247 mm x 164 mm

For Sigma concealed

→ 116.090.SG.6 (glass)

For Sigma concealed

→ 116.090.SM.6 (glass)

cistern 12 cm

reflective glass

cistern 12 cm

black glass

brass/customisable surface

→ 115.672.QF.2 (die-cast zinc)

brass/Mustang slate ****

→ 115.672.DW.2 (plastic)

brass/black walnut ****











black chrome/black walnut ****



→ 115.671.JM.2 (slate)

Mustang slate ****

→ 115.671.DW.2 (plastic)

black chrome/black

(die-cast zinc, plastic)

black chrome/customisable

→ 115.671.QD.2 (die-cast zinc)

black chrome/black chrome

→ 115.622.QB.1 (stainless steel)

Sec. Sec

→ 115.671.00.2

surface

brushed

red gold

brass

black chrome/















→ 115.671.JX.2 (wood)



→ 115.671.JV.2 (concrete)

black chrome/concrete****





























OMEGA20

 Dual flush 212 mm x 142 mm



→ 115.085.KJ.1 (plastic) white/bright chrome



→ 115.085.KK.1 (plastic) white/gold-plated



→ 115.085.01.1 (plastic) white matt/white***



→ 115.085.JT.1 (plastic) white matt/bright chrome ***



 \rightarrow 115.085.11.1 (plastic) white/matt white



→ 115.085.JQ.1 (plastic) matt chr/bright chrome ***



→ 115.085.KH.1 (plastic) bright chr/matt chrome



 \rightarrow 115.085.KM.1 (plastic) black/bright chrome



→ 115.085.14.1 (plastic) black matt/bright chrome ***



→ 115 085 16 1 (plastic) black matt/black ***



 \rightarrow 115.085.DW.1 (plastic) black/black matt

* vandal-resistant, screwable

*** easy-to-clean coated

OMEGA30

 Dual flush 212 mm x 142 mm

→ 115.080.KJ.1 (plastic)

white/bright chrome

→ 115.080.KK.1 (plastic)

white/gold-plated

→ 115.080.01.1 (plastic)

white matt/white***

→ 115 080 JT1 (plastic)

white matt/bright

→ 115.080.11.1 (plastic)

→ 115.080.JQ.1 (plastic)

matt chr/bright chrome***

white/matt white

the second second

→ 115.080.KH.1 (plastic)

→ 115 080 KM 1 (plastic)

black/bright chrome

→ 115.080.14.1 (plastic)

→ 115.080.16.1 (plastic)

→ 115.080.DW.1 (plastic)

black/matt black

** vandal-resistant, with electronic dual flush and manual override

**** The colour and structure of natural products may vary

black matt/black***

black matt/bright

chrome***

bright chr/matt chrome

chrome***

OMEGA60 Dual flush

184 mm x 114 mm



Even with the surface





 \rightarrow 115 081 SI 1

white glass

→ 115.081.GH.1

brushed chrome

→ 115.081.JL.1

→ 115.081.JK.1

→ 115.081.SJ.1

black glass

(die-cast zinc, glass)

(die-cast zinc, glass)

sand grey

(die-cast zinc, glass)

(die-cast zinc)















(die-cast zinc, glass)













Dual flush

Q

white alpine

L

bright chrome

7

S

matt chrome

ALPHA20

CC

white alpine

 $\bigcirc \bigcirc$

bright chrome

00

matt chrome

OPTIONS WITH GEBERIT ACTUATORS:

Geberit Alpha

 \rightarrow 115.040.11.5 (plastic)

→ 115.040.21.5 (plastic)

 \rightarrow 115.040.46.5 (plastic)

ALPHA01

213 mm x 142 mm

→ 115.035.11.1 (plastic)

→ 115.035.21.1 (plastic)

→ 115.035.46.1 (plastic)

ALPHA35



→ 115 045 11 5 (plastic) white alpine



→ 115.045.21.5 (plastic)

bright chrome



→ 115.045.46.5 (plastic) matt chrome



ALPHA30

→ 115.055.11.1 (plastic)

→ 115 055 211 (plastic)

bright chrome

matt chrome

ALPHA50

white alpine

black

 Geberit Sigma
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 ×
 <

X X

Geberit Omega X X X X X X X

→ 115.060.11.1 (plastic)

 \rightarrow 115.060.DW.1 (plastic)

9

 \rightarrow 115.055.46.1 (plastic)

white alpine





















GEBERIT CONCEALED SOLUTIONS THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom or WC. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted the one-piece leak-proof cisterns from Geberit for more than 55 years. All cisterns are conform to the SASO and ESMA standards.





EVENTFUL HISTORY Geberit has more than 55 years experience in the field of concealed cisterns. Since 1964 Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.

The Geberit concealed cisterns have been installed worldwide, more than 70 million times

BEAUTIFUL DESIGN A concealed solution with a wall-hung WC and beautiful actuator plates offers a lot of design options for your bathroom.

INNOVATIVE AND FUNCTIONAL DESIGN Actuator plates are available in an easy-to-clean coated option, in a vandal-proof, screwable version and almost all Sigma actuator plates can be combined with an odour extraction unit.

WITHSTANDING HEAVY LOAD The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC.

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your bathroom.

EASY TO CLEAN The fewer edges, joints and corners, the simpler to clean and more hygienic.



PREMIUM QUALITY All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.



LEAKPROOF Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving the factory.



Geberit guarantees 50 years spare parts availability.

APP	

Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.



INSTALLATION SYSTEMS Available for all Geberit installation systems: Duofix, GIS and Kombifix.




The cisterns are prepared for a hidden or visible electric connection in case you want to upgrade your WC.



GEBERIT AQUACLEAN SHOWER TOILETS Perfectly prepared for the installation of Geberit shower toilets with innovative comfort-



HYDRAULIC KNOW-HOW Optimised hydraulics for a perfect wash-out of Geberit WC ceramics, with water-saving




REASONS FOR WALL-HUNG CONCEALED SOLUTIONS THE CONCEALED ADVANTAGES



SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.





TIME-SAVING


More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.



HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.

extra surfaces / hard to reach






CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semipublic areas like hotels or office buildings this is important.

GEBERIT SIGMA CISTERNS TOUCHING DESIGN

STYLISH CALLING CARDS

The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic or touchless








Sigma80 black glass (art.no. 116.090.SG.1)



FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves or other bathroom items. Another possibility to give





GEBERIT SIGMA UPGRADES ADD THE ELEMENT WATER


GEBERIT AQUACLEAN

Modern shower toilets are hardly to be recognised as such at first glance. Geberit offers diverse AquaClean WC models with a lot of features to choose from. If you do not want to remove the existing WC ceramic, there is the possibility to add an AquaClean seat as an enhancement solution.





ODOUR EXTRACTION UNIT Unpleasant odours are absorbed at once in the odour extraction unit. An active carbon filter eliminates odours before they spread. It starts automatically as soon as you sit down. WHIRLSPRAY SHOWER TECHNOLOGY The patented WhirlSpray technology enables a particularly direct adn thourough cleaning. The reason for this is a pulsating shower spray refined through dynamic aeration.





DRYER

The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.



HEATING THE WC SEAT

The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.



GEBERIT SIGMA UPGRADES ADD THE **ELEMENT AIR**

GEBERIT DUOFRESH


What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.





It's as simple as this: Just open the actuator plate at the side.





EFFICIENT



QUIET

VISIBLE





Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thouroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.

ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuator plate.


An orientation light helps you at night to find your

The air is purified by the ceramic honeycomb filter

A quiet fan conveys the purified air back into the



Close the actuator plate and enjoy the fresh air in your bathroom.



GEBERIT SIGMA SPECIAL SOLUTIONS **EASILY**ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.



111.350.00.5 Geberit Duofix element for a barrierfree solution. The frame-width is reduced for the placement of support handles next to the element.



111.790.00.1 Geberit Duofix element with mounting plate for support handles.



Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			



Geberit Selnova WC ceramic with extra long projection, Geberit actuator plate Sigma10, Geberit Option mirror, Geberit Selnova Comfort washbasin, Geberit trap and shower drain.

GEBERIT OMEGA CISTERNS SMALL AND POWERFUL



FREEDOM OF PLACE

If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top.

SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60. Available in different styles and high-end materials.



Omega20 black matt / black (art.no. 115.085.16.1)



mega30 matt chrome / bright chrome (art.no. 115.080.JC



mega60 white glass (art.no. 115.081.Sl.1



The Geberit Omega concealed cisterns are designed for low-height situations. But it is also a good choice if you just prefer a smaller size of the actuator plate.

Geberit AquaClean Mera, Geberit Omega60 actuator plate, front actuation with standard height, Geberit CleanLlne60.

GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS **SOLUTION PROVIDER** IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.



The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



TOP OR FRONT - THAT IS THE QUESTION Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution
Geberit Sigma	×	×	×	×
Geberit Omega	×	×	×	
Geberit Alpha	×	×		


TOOL-FREE MAINTENANCE The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.




GEBERIT ALPHA CISTERNS STRIKING SIMPLICITY

Geberit Alpha concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.

Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.







Alpha01 bright chrome (art.no. 115.035.21.1)

Alpha20 white alpine (art.no. 115.035.11.5)

Alpha30 bright chrome (art.no. 115.055.21.1)



Alpha35 matt chrome (art.no. 115.045.46.5)



Alpha50 black (art.no. 115.060.DW.1)

Geberit Alpha50 actuator plate, Geberit Smyle WC, Geberit Smyle furniture, Geberit Smyle washbasin, Geberit Option mirror, Geberit Group magnetic board with storage boxes.



GEBERIT ALPHA CISTERNS THE NEXT GENERATION

Geberit Alpha concealed cisterns cover all needs for all sorts of installation situations. Be it narrow walls, low heights or standard applications. The cisterns and frames have been improved and the application fields have been widened.



TWO CISTERN HEIGHTS The Geberit Alpha concealed cistern can be installed at a height of 82 cm and 112 cm. All the Alpha cisterns come with a water-saving dual flush system.



TOP OR FRONT ACTUATION For low heights there is the option of choosing top actuation.

OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	
Geberit Sigma	×	×	×	×	×			×	
Geberit Omega	×	×	х		×	×	×	х	
Geberit Alpha	×	×			×	×	×		



BATHROOM PRODUCTS – THE PERFECT MATCH



GEBERIT SIGMA



THE APPEARANCE IN FRONT OF THE WALL

When you have defined the installation behind the wall, you take the next step and choose the ceramic appliances and the bathroom furniture. You are absolutely free to match every Geberit ceramic with every cistern.



eberit actuator plate Sigma70, Geberit Acanto /C ceramic, Choose from a huge portfolio of Geberit WC and washbasin ceramics, perfectly aligned bathroom furniture designs, mirrors and other bathroom products that will help realising your own personal bathroom style.

A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any project type.



Geberit actuator plate Sigma60, Geberit Citterio WC ceramic **BATHROOM PRODUCTS - THE PERFECT MATCH**



GEBERIT OMEGA



Geberit actuator plate Omega60 top actuation, Geberit Xeno² WC ceramic, Geberit CleanLine





Geberit Alpha is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.



GEBERIT ALPHA



Geberit actuator plate Alpha20, Geberit Smyle WC and washbasin ceramic, Geberit Option mirror, Geberit Cleanline (tileable)





Find more on our Geberit ceramics, furnitures, bidets, mirrors and many more products for your bathroom on virtual-showroom.geberit.com/gisa




CONCEALED CISTERNS OVERVIEW AT ONE GLANCE

Geberit concealed cisterns


- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 25 years.


Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.

SOLID WALL INSTALLATION





DRYWALL INSTALLATION





12





82/98

12 CM CISTERN-THICKNESS In the wall or in front of the wall

In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Alpha 12 cm.

8 CM CISTERN-THICKNESS Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front.

Choose either Sigma or Alpha 8 cm.

LOW-HEIGHT SITUATIONS Solution for low-height installation with element heights 82 cm, choose either Omega or Alpha. For a height of 98 cm go for Omega.

fo

82/98

Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.



Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete roomheight prewalls or partition walls.


CONCEALED CISTERNS OVERVIEW

GEBERIT SIGMA AT ONE GLANCE





Dimensions




* With leg supports

** Can be cut to length

*** Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.



109.798.00.1**
109.791.00.1**
8 cm
119 cm
×
×




CONCEALED CISTERNS OVERVIEW GEBERIT OMEGA AT ONE GLANCE



Article number 4.5/3 l		111.020.00.1				
Article number 6/3 l	111.060.00.1	111.003.00.1	110.020.00.1	110.001.00.1	109.060.00.1	109.043.00.1
Cistern thickness*	12 cm					
Cistern height	112 cm	82 cm	106 cm	82 cm	106 cm	82 cm
For solid construction	×	×	×	×	×	×
For drywall construction	×	×				
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×		
For top actuation		×		×		×
With conduit pipe for Geberit AquaClean	×	×	×	×		
Tool-free maintenance	×	×	×	×	×	x

Barrier-free solution




* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

CONCEALED CISTERNS OVERVIEW **GEBERIT ALPHA** AT ONE GLANCE






						IN GENERAT		
Article number 4.5/3 l	458.234.00.2	458.215.00.1	110.234.00.2	110.215.00.1	110.178.00.1	109.234.00.2**	109.215.00.1	109.178.00.1**
Article number 6/3 l	458.233.00.2	458.212.00.1	110.233.00.2	110.212.00.1	110.175.00.1	109.233.00.2**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	х	х	x	х	x	х	x	x
For drywall construction	х	х						
Wall-hung-ready (fixation for wall-hung ceramic included)	х	х	x	х	x			
For top and front actuation		х		х			x	



* With leg supports

** Can be cut to length

*** Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.



Geberit International Sales AG Gulf Regional Office

UAE	Tel: +971 4 4470914
Saudi Arabia	Tel: +966 12 668 3468
Kuwait	Tel: +965 6 672 8102
Qatar	Tel: +974 4 020 6055
100 C	

sales.gulf@geberit.com

www.geberit.ae

GEBERIT